


#### **CENTRAL VACUUM SYSTEMS**










Murate MVS 861 / 870

Rieter J10 / J20


# Disposal Logistics for Air Jet Spinning

## **Facts**

- Air Jet Spinning machines are extremely high productiv, using primary material for highest yarn quality, resulting in huge amounts of secondary material fibre and yarn waste.
- up to 10% from processed fibre goes to white waste chamber
- frequent emptying of waste chambers only guarantees best performance
- logistic challenge of secondary material flow: waste to be moved over long distances uncompacted in the mill to compactor
- huge in volume and weight —> automatic disposal is essential



#### **Complete Solution with CVS**





all machines are prepared for automatic disposal by Steinemann CVS

no negative influence on efficiency due to unreliable staff

no labor involved for waste handling

no containers / boxes / etc. for waste disposal handling in the mill (the waste is automatically transported over long distances to the right place)

no fluff / fly / waste emitted into production area



Rieter J10 / J20







Situation without CVS

### **Typical Example of Waste Quantities**

Basic Data (examples)

Material	Yarn count	Production	Waste amount	No. of Machines
Cotton	NE 30	35 kg/h each machine	8% of production	6 with 80 units each
				<b>4</b> with 140 units each
Viscose	NE 30	60 kg/h each machine	3% of production	with 80 units each
				with 140 units each



# Reference Letter from our esteemed customer Lauffenmuehle Lauchringen (Germany)

